
SAFETY WARNING

1. This bed is designed for use only mattress (es) meeting the following specifications on the upper bunk, and lower bunk:

   Up bed (Bunk bed and tribed included)


Bed type	Length	With	Thickness
Twin Standard	74"-75"	38 1/2"	6" max

2. Replacement parts, including additional guardrails, maybe obtained from IFurniture,Inc.
3. Follow the information on the warnings appearing on the upper bunk bed end structure and on the carton. Do not remove warning label from bed.
4. Always use the recommended size mattresses or mattress supports, or both, to help prevent the likelihood of entrapment or falls.
5. Surface of mattress must be at least 5" (127mm) below the upper edge of guardrails.
6. Do not allow children under 6 years of age to use the upper bunk.
7. Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.
8. Do not allow horseplay on or under the bed and prohibit jumping on the bed.
9. Always use the ladder for entering and leaving the upper bunk.
10. Do not use substitute part. Contact the manufacture or dealer for replacement part.
11. Use of a night light may provide added safety precaution for a child using the upper bunk.
12. Always use guardrails on both long sides of the upper bunk. If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and wall.
13. The use of water or sleep flotation mattresses is prohibited.
14. STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hook, belts and jump ropes.
15. Keep these instruction for future reference.



Assembly Instructions
816 - 012

Part in Box



HARDWARE LIST


1.	JCBC M6 x 90mm	x 22
2.	JCBC-W M6 x 50mm	x 8
3.	M6 x 15mm Barrel Nut	x 22
4.	Wood Dowel M10 x 30mm	x 34
5.	Csk Screw M4 x 38mm	x 1
6.	Csk Screw M4 x 25mm	x 22
7.	JCBC M6 x 30mm	x 6
8.	JCBC-W M6 x 30mm	x 4
9.	Sticker Cap	x 6
10.	M4 Allen Key	x 1

Tool required for assembly :

* Allen Key (supplied)
* Phillips Screwdriver (not supplied)


1 Assemble the Upper Bunk End Frames.

1.	JCBC M6 x 90mm	x 8
2.	M6 x 15mm Barrel Nut	x 8
3.	Wood Dowel M10 x 30mm	x 20




2 Assemble the Upper Bunk End Frames with the Side Rails (G1&G2),Back Guard Rail (I) and Guardrail Spindle (J).

1.	JCBC M6 x 90mm	x 12
2.	M6 x 15mm Barrel Nut	x 12
3.	Wood Dowel M10 x 30mm	x 8
4.	JCBC M6 x 30mm	x 4




3 Assemble the Upper Front Guard Rail (H) and Guardrail Spindle (J).

1.	JCBC M6 x 90mm	x 2
2.	M6 x 15mm Barrel Nut	x 2
3.	Wood Dowel M10 x 30mm	x 2
4.	JCBC M6 x 30mm	x 2



4 Assemble the Ladder (L,L1&M).


3.	Wood Dowel M10 x 30mm	x 4
5.	JCBC-W M6 x 50mm	x 4



Assembly Instructions
816 - 012


5 Attach the Ladder.

5.	JCBC-W M6 x 50mm	x 4
6.	Csk Screw M4 x 38mm	x 1



6 Put the Sticker Cap.

9.	Sticker Cap	x 6




SAFETY WARNING

1. This bed is designed for use only mattress (es) meeting the following specifications on the upper bunk, and lower bunk:

   Up bed (Bunk bed and tribed included)


Bed type	Length	With	Thickness
Twin Standard	74"-75"	38 1/2"	6" max

2. Replacement parts, including additional guardrails, maybe obtained from IFurniture,Inc.
3. Follow the information on the warnings appearing on the upper bunk bed end structure and on the carton. Do not remove warning label from bed.
4. Always use the recommended size mattresses or mattress supports, or both, to help prevent the likelihood of entrapment or falls.
5. Surface of mattress must be at least 5" (127mm) below the upper edge of guardrails.
6. Do not allow children under 6 years of age to use the upper bunk.
7. Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.
8. Do not allow horseplay on or under the bed and prohibit jumping on the bed.
9. Always use the ladder for entering and leaving the upper bunk.
10. Do not use substitute part. Contact the manufacture or dealer for replacement part.
11. Use of a night light may provide added safety precaution for a child using the upper bunk.
12. Always use guardrails on both long sides of the upper bunk. If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and wall.
13. The use of water or sleep flotation mattresses is prohibited.
14. STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hook, belts and jump ropes.
15. Keep these instruction for future reference.



Assembly Instructions
816 - 012

Part in Box



HARDWARE LIST


1.	Wood Dowel M8 x 30mm	x 22
2.	Csk Screw M4 x 32mm	x 19
3.	Connecting Bolt	x 12
4.	Minifix Housing	x 12
5.	Back Panel Metal Plate	x 3
6.	Csk Screw M4 x 38mm	x 4
7.	Pan Head Screw M3.5 x 16mm	x 21
8.	Caster	x 2
9.	Sticker Cap	x 8

Tool required for assembly :

* Allen Key (supplied)
* Phillips Screwdriver (not supplied)


1 Insert the Wood Dowel into the both end of Top Support Rail (X).

1.	Wood Dowel M8 x 30mm	x 16




2 Insert the Wood Dowel and Connecting Bolt into the both Side Panel (V&V1) and Shelf & Bottom Panel (W).

1.	Wood Dowel M8 x 30mm	x 4
3.	Connecting Bolt	x 8




3 Attach the Caster to the Bottom Panel (C).

7.	Pan Head Screw M3.5 x 16mm		x 8
8.	Caster		x 2




4 Attach the Shelf & Bottom Panel (C), Top Support Panel (E) to the Side Panel (F&G).

4.	Minifix Housing		x 8




5 Screw the Side Panel.

1.	Wood Dowel M8 x 30mm	x 2
2.	Csk Screw M4 x 32mm	x 12
9.	Sticker Cap	x 8




6 Insert the Connecting Bolt to the bottom of the Top Panel (T).

2.	Connecting Bolt	x 4





7 Attach the Back Panel (Y).

5.	Back Panel Metal Plate		x 3
7.	Pan Head Screw M3.5 x 16mm		x 13




8 Attach the Top Panel (T).


2.	Csk Screw M4 x 32mm		x 4
4.	Minifix Housing		x 4



9 Attach the Desk Rail Left & Right (Q&R).


6.	CSK Screw M4 x 38mm	x 4






10 Attach the Top Panel Stopper (S).

2.	Csk Screw M4 x 32mm	x 3






11 Attach the Bed Slats (N).

6.	Csk Screw M4 x 25mm	x 22
8.	JCBC-W M6 x 30mm	x 4

REMARKS:
Get the
JCBC-W M6 x 30mm **(8)**
and CSK Screw M4 x 25mm **(6)**
from the Bed Hardware.

***BE CAREFUL!**



Lay the Slats inside the Stretechers as shown below,and fix in place with 30mm JCBC-W (total 4) and 25mm Csk Screws (total 22).

Assembly Instructions
816 - 012


SAFETY WARNING


1. This bed is designed for use only mattress (es) meeting the following specifications on the upper bunk, and lower bunk:

   Up bed (Bunk bed and tribed included)

Bed type	Length	With	Thickness
Twin Standard	74"-75"	38 1/2"	6" max


2. Replacement parts, including additional guardrails, maybe obtained from IFurniture,Inc.
3. Follow the information on the warnings appearing on the upper bunk bed end structure and on the carton. Do not remove warning label from bed.
4. Always use the recommended size mattresses or mattress supports, or both, to help prevent the likelihood of entrapment or falls.
5. Surface of mattress must be at least 5" (127mm) below the upper edge of guardrails.
6. Do not allow children under 6 years of age to use the upper bunk.
7. Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.
8. Do not allow horseplay on or under the bed and prohibit jumping on the bed.
9. Always use the ladder for entering and leaving the upper bunk.
10. Do not use substitute part. Contact the manufacture or dealer for replacement part.
11. Use of a night light may provide added safety precaution for a child using the upper bunk.
12. Always use guardrails on both long sides of the upper bunk. If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and wall.
13. The use of water or sleep flotation mattresses is prohibited.
14. STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hook, belts and jump ropes.
15. Keep these instruction for future reference.






Assembly Instructions
816 - 012

Part in Box



HARDWARE LIST

1.	Wood Dowel M8 x 30mm		x 24
2.	Csk Screw M4 x 32mm		x 12
3.	Connecting Bolt		x 12
4.	Minifix Housing		x 12
5.	Pan Head Screw M3.5 x 16mm		x 24
6.	Sticker Cap		x 6


Tool required for assembly :

* Allen Key (supplied)
* Phillips Screwdriver (not supplied)

Assembly Instructions
816 - 012


1 Insert the Wood Dowel into the both end of Support Rail (D).

1.	Wood Dowel M8 x 30mm	x 12



2 Insert the Wood Dowel and Connecting Bolt into the both Side Panel (E&F).

1.	Wood Dowel M8 x 30mm	x 8
3.	Connecting Bolt	x 8





3 Assemble the Support Rail (D), Bottom Panel (C), Shelf Panel (B), Left & Right Panel (B&B1).

4.	Minifix Housing	x 8

4 Screw the Side Panel.


2.	Csk Screw M4 x 32mm	x 10
6.	Sticker Cap	x 6






5 Insert the Wood Dowel to the both Side Panel (E&F) and Wood Dowel to the Top Panel (A).

1.	Wood Dowel M8 x 30mm	x 4
3.	Connecting Bolt	x 4




6 Assemble the Top Panel (A).

2.	Csk Screw M4 x 32mm	x 2
4.	Minifix Housing	x 4




7 Assemble the Back Panel (E).

5.	Pan Head Screw M3.5 x 16mm		x 24



8 Place the the Bookcase Shelf under the bed.




SAFETY WARNING

1. This bed is designed for use only mattress (es) meeting the following specifications on the upper bunk, and lower bunk:

   Up bed (Bunk bed and tribed included)


Bed type	Length	With	Thickness
Twin Standard	74"-75"	38 1/2"	6" max

2. Replacement parts, including additional guardrails, maybe obtained from IFurniture,Inc.
3. Follow the information on the warnings appearing on the upper bunk bed end structure and on the carton. Do not remove warning label from bed.
4. Always use the recommended size mattresses or mattress supports, or both, to help prevent the likelihood of entrapment or falls.
5. Surface of mattress must be at least 5" (127mm) below the upper edge of guardrails.
6. Do not allow children under 6 years of age to use the upper bunk.
7. Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.
8. Do not allow horseplay on or under the bed and prohibit jumping on the bed.
9. Always use the ladder for entering and leaving the upper bunk.
10. Do not use substitute part. Contact the manufacture or dealer for replacement part.
11. Use of a night light may provide added safety precaution for a child using the upper bunk.
12. Always use guardrails on both long sides of the upper bunk. If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and wall.
13. The use of water or sleep flotation mattresses is prohibited.
14. STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hook, belts and jump ropes.
15. Keep these instruction for future reference.



Assembly Instructions
816 - 012

Part in Box




HARDWARE LIST


1.	Wood Dowel M8 x 30mm	x 28
2.	Csk Screw M4 x 32mm	x 14
3.	Connecting Bolt	x 16
4.	Minifix Housing Long	x 4
5.	Pan Head Screw M3.5 x 16mm	x 24
6.	Csk Screw M4 x 25mm	x 12
7.	Minifix Housing Short	x 12
8.	Wood Dowel M6 x 25mm	x 12
9.	Sticker Cap	x 12
10.	Handle Screw M4 x 28mm	x 6
11.	Handle	x 6

Tool required for assembly :


* Allen Key (supplied)
* Phillips Screwdriver (not supplied)


1 Insert the Wood Dowel into the both end of Top support rail (C) and Support Rail (C1).

1.	Wood Dowel M8 x 30mm		x 24






2 Insert & Tighten No,(2) to the both Side Panel (B & B1) with Top Support Panel (C) & Support Rail (C1).

2.	Csk Screw M4 x 32mm		x 12
9.	Sticker Cap		x 12





3 Assemble the Top Panel (A).

1.	Wood Dowel M8 x 30mm		x 4
3.	Connecting Bolt		x 4
4.	Minifix Housing Long		x 4




4 Tighten the Top Support Panel.

2.	Csk Screw M4 x 32mm		x 2



5 Attach the Back Panel (E) .


6.	Pan Head Screw M3.5 x 16mm	x 24




6 Assemble the Drawer Side ((H)(H1) & Support Drawer Bottom (J) onto Drawer Front Panel (F).

3.	Connecting Bolt	x 12
7.	Minifix Housing Short	x 12
8.	Wood Dowel M6 x 25mm	x 6

x 3




7 Place and Align the Drawer Bottom Panel (I).



x 3


8 Assemble the back panel (G).


8.	Wood Dowel M6 x 25mm	x 6



x 3

9 Assemble the Handle (11) tighten the Back Panel Drawer (6).

6.	Csk Screw M4 x 25mm		x 12
10.	Handle Screw M4 x 28mm		x 6
11.	Handle		x 6



10 Align the finish Drawer to the Place.

